



## REPLACEMENT SHEET




Fig. 1

BEST AVAILABLE COPY

# REPLACEMENT SHEET




Fig. 2

FIG. 3




FIG. 4




FIG. 5




FIG. 6

ROUTINE 400: ADJUSTMENT OF PREVIOUSLY DERIVED CONENT MASS  
FROM TANK SHELL EXMPANSION

STEP 401: AMBIENT TEMPERATURE IS AVERAGED TO OBTAIN A  
TEMPERATURE IS AVERAGED TO OBTAIN A TEMPERATURE OT USE IN  
CLCLUCATION THE CHANGE IN TANK DIAMTER

FIG. 7





FIG. 8



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

**BLACK BORDERS**

**IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

**FADED TEXT OR DRAWING**

**BLURRED OR ILLEGIBLE TEXT OR DRAWING**

**SKEWED/SLANTED IMAGES**

**COLOR OR BLACK AND WHITE PHOTOGRAPHS**

**GRAY SCALE DOCUMENTS**

**LINES OR MARKS ON ORIGINAL DOCUMENT**

**REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

**OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**